



HOMMET
Industries Private Limited

**CRAFTING
DURABLE DREAMS**
PREMIUM BUILDING MATERIALS
FOR EVERY PROJECTS

A decorative graphic in the top left corner consisting of several overlapping hexagons in shades of green, yellow, and dark blue.

WELCOME TO **HOMMET** **INDUSTRIES**

Hommet Industries Pvt. Ltd. is a renowned supplier and manufacturer of high-quality building materials. With years of experience in the industry, we specialize in offering a wide range of imported roof tiles, roofing shingles, stone-coated tiles, silicone products, and other essential building materials. Our commitment to quality and customer satisfaction has made us a trusted name in the market.

Innovative Building Solutions for a Modern World

Our Mission

To provide top-notch building materials that enhance the durability, aesthetics, and value of your constructions. We aim to build long-lasting relationships with our clients by consistently delivering excellence.





WHY CHOSE Hommet Industries pvt.ltd?

Quality Assurance

We source and manufacture only the best quality materials to ensure the longevity and safety of your projects.

Customer Satisfaction

Our dedicated team is committed to provide exceptional service and support to our clients.

Innovative Solutions

We stay updated with the latest industry trends and technologies to offer innovative building solutions.

Eco-Friendly Practices

We prioritize sustainable practices in our manufacturing and sourcing processes.

Our Products

Atlantique Ceramic Roof Tiles

Premium Quality: Crafted with precision, our Atlantique Roof Tiles offer unmatched durability and an elegant finish, perfect for both residential and commercial applications.

Weather Resistant: Designed to withstand extreme weather conditions, ensuring long-lasting protection for your building.

Aesthetic Appeal: Available in various colors and styles, these tiles enhance the architectural beauty of any structure.

Atlantique Asphalt Roofing Shingles

High Performance: Atlantique Shingles are engineered for superior performance, providing excellent protection against the elements.

Versatility: Suitable for a wide range of roofing applications, they offer flexibility in design and installation.

Energy Efficient: Reflective properties help reduce energy costs by maintaining optimal indoor temperatures.

Atlantique Stone-Coated Metal Tiles

Durability: Combining the strength of steel with the beauty of natural stone, our stone-coated tiles offer a robust roofing solution.

Low Maintenance: Resistant to corrosion, cracking, and fading, ensuring minimal upkeep.

Stylish Design: A variety of textures and colours to complement any architectural style.

Silstone Silicone

Superior Sealant: Silstone Silicone is an A Grade quality sealant, ideal for a variety of construction and renovation projects.

Versatile Application: Perfect for sealing gaps, joints, and seams in both interior and exterior settings.

Long-Lasting: Offers excellent adhesion and flexibility, providing a durable seal that withstands movement and weathering.





ATLANTIQUE CERAMIC ROOF TILES

Crafted with precision, our Atlantique Roof Ceramic Roof Tiles offer unmatched durability and an elegant finish, perfect for both residential and commercial

www.atlantiquerroof.com



ATLANTIQUE CERAMIC ROOF TILES

ELBANO Series



Ink blue



Terracota



Grey glossy



Coffee brown



Antique red



Steel grey



Double shade



Rose red



Terracota



Glossy red



Coffee brown



Iron red



Antic red



Steel grey



Ink Blue



Iron red



Antique red



Steel grey



Ink Blue



Orange red



Backside

FLAT Series



Silver grey



Antique blue



Steel grey



Silver grey



Steel grey



Antique Red



Product Description	
Product Name	Elbano
Size	39.2 Cm Length * 29.5 Width
Colour & Surface	Double Colour, Grey Glossy, Coffee Brown, Steel Grey, Terracota, Ink Blue, Antique Brown
Weight	2.3 Kg
Thickness	10MM
Box Packing	9 pcs Per Boy
Material	Natural Clay Fried In 1200 Degree Temperature
Compression Strength	More than 250KG
Water Absorption	Below 7%
Working Life	More than 70 years
Accessory	Ridge, Ridge End, Hip End, 2/3/4 Way Etc
Features	Water Resistance, Cold Resistance, Pressure Resistance, Never Fade, Corrosion Resistance
Certificates	Iso 9001:2015
Samples	All Colours Available Mentioned Abov

ATLANTIQUE[®]
CERAMIC ROOF TILES





THICKNESS
10mm

COMPRESSION STRENGTH
More than 250KG

SIZE
39.2 cm Length '29.5 width

WEIGHT
2.3 KG

MATERIAL
Natural Clay Fired in 1200
Degree Temperature

WORKING LIFE
More Than 70 Years

FEATURES

WATER RESISTANCE, COLD RESISTANCE, PRESSURE RESISTANCE,
NEVER FADE , CORROSION RESISTANCE

BOX PACKING : 9PCS PER BOX

WATER ABSORPTION : BELOW 7%



ATLANTIQUE ROOFING SHINGLES

Transform your roof with our high-performance shingles—where durability meets style.

www.atlantiquerroof.com



Toughness

Atlantique Roofing Shingles provide reliable protection for your home against extreme weather conditions, backed by a wind-resistant guarantee.



Durability

Our sheets are built to endure for a lifetime.



Everlasting Shine

Atlantique Roofing Shingles are designed to resist black streaks caused by algae, ensuring your roof maintains its vibrant appearance and gives your home a beautiful, dream-like look!



Colour Choice



Laminated Collections



Ocean Blue II Ocean Blue I Asian Red II Asian Red I Desert Tan II Desert Tan I




Bark Brown II Bark Brown I Estate Grey II Estate Grey I Asian Green II Asian Green I

Mosaic Collections



Ocean Blue II Ocean Blue I Asian Red II Asian Red I Desert Tan II Desert Tan I



Bark Brown II Bark Brown I Estate Grey II Estate Grey I Asian Green II Asian Green I

3D Collections



Asian Red



Onyx Black



Bark Brown



Desert Tan



Estate Grey



Ocean Blue



Product Details

Warranty	10 Years
Standard	GB/T20474-2015,ASTM
Materials Used	Fiberglass, Bitumen, Granule, Sand
Model No	D1001
Design Style	Asphalt Roofing Shingles
After Sale Service	Online Technical
Weight	27kg/Bundle
Length	1000MM
Width	333MM
Certification	ISO9001:2008, ce, sgs
Thickness	5.2MM
Brand Name	Atlantique Roofing Shingles
Accessories	Bitumen Mastic, Nails
Type	Laminated Double Layer
Package	Customized Packing Available(min 4000 sqm)
Quantity	16pcs/Bundle (1pcs=1.56sqft)
Heat Resistance	<90 Degrees, No Sliding, Flowing, Dripping
Low Temperature Flexibility	>10 Degree C, No Crack
Wind Resistance	>120km/h
Fire Resistance	Class A
Storage	A) Every Bundle Must Be Flat When Strong
	B) Storage Temperature < 45 Degree C
	C) Storage Height < 30 Bundles
	D) Avoid Sun-Baked and Wringing
	E) Keep Ventilation




ATLANTIQUE

STONE COATED ROOF TILES

Our Atlantique Stone-Coated Roof Tiles seamlessly blend the robustness of steel with the timeless elegance of natural stone, offering a roofing solution that stands the test of time

www.atlantiquerroof.com

Product Structure



Top Acrylic Coat

Increase brightness and bonding strength, prevent rain-leak from coming to the lower layers and granular structure.

Aluminum Zinc Coat

Resist corrosion: reflect heat and prolong the life span of the base sheet.

Stone Chip Layer

Resist UV, reducing rain noise and improve decorative function

Epoxy Primer

Protect alu-zinc layer, enhance corrosion resistance and bonding strength stone chip adhesive and the base sheet.

Acrylic Adhesive Bonding Layer

Adhere stone chip to the base sheet, protect the underlying structure.

Steel Sheet

High strength cold-rolled steel sheet.

Aluminum Zinc Layer

Resist corrosion; reflect heat and prolong the life span of the base sheet.

Epoxy Primer

Protect alu-zinc layer and enhance corrosion resistance

TYPE OF STONE COATED METAL ROOF TILES

Bond Tile

Traditional Tile, Patterns Forever classic, Gives the roof its curvature.



Tile Size	1340mm * 420mm
Installed Exposure	1270mm * 365mm
Coverage Area	0.47 m ²
The number of pavement	2.16pc/ m ²
Weight	2.7kg/pc

Stone coated metal roofing tile, Subvert your definition of traditional tiles. Lightweight, environmentally friendly, economical, beautiful, widely used in villas, apartments, clubs, and all kinds of public buildings.





Shingle Tile

Jumping colors, solemn intellectual beauty, showing the Mediterranean style.



Tile Size	1340mm * 420mm
Installed Exposure	1270mm * 370mm
Coverage Area	0.48 m ²
The number of pavement	2.16pe/ m ²
Weight	2.7kg/pc

Cost-effective, with unrivaled combined cost advantages on steel or wood structure roofs, and on concrete roofs, comparable to the combined cost of small clay tile roofing systems.





Nosen Tile

Elegant lines with a strong sense of three-dimensionality, showing the Babylonian flavor.



Tile Size	1340mm * 420mm
Installed Exposure	1270mm * 370mm
Coverage Area	0.47 m ²
The number of pavement	2.16pc/ m ²
Weight	2.7kg/pc

Stone coated metal roofing tile have strong earthquake resistance, metal tiles will not fall off like ordinary tiles in the event of an earthquake, and because of its light weight, it can effectively reduce casualties.





Rainbow Tile

Rich color changes for you to create a dazzling roof.



Tile Size	1250mm * 420mm
Installed Exposure	1200mm * 365mm
Coverage Area	0.46 m ²
The number of pavement	2.16pc/ m ²
Weight	2.7kg/pc





Roman Tile

Noble colour, classical style, showing the European and American style.



Tile Size	1300mm * 420mm
Installed Exposure	1250mm * 365mm
Coverage Area	0.46 m ²
The number of pavement	2.16pc/ m ²
Weight	2.7kg/pc

The metal colour stone tile adopts high-quality aluminum-zinc-plated steel plate and basalt granule as raw material, which has strong anti-corrosion performance and effectively prolongs its service life.





Milano Tile

The beauty of harmony, the perfect integration of architecture and nature



Tile Size	1350mm * 420mm
Installed Exposure	1270mm * 365mm
Coverage Area	0.47 m ²
The number of pavement	2.16pc/ m ²
Weight	2.7kg/pc

Lightweight, strong, durable and beautiful roof tiles are suitable for use on steel, wood or concrete roofs, with an application angle of 20-90 degrees.





Wood Grain Tile

Subdued colors, natural and harmonious beauty, showing the simple feelings of nature.



Tile Size	1340mm * 420mm
Installed Exposure	1270mm* 370mm
Coverage Area	0.47 m ²
The number of pavement	2.16pc/ m ²
Weight	2.7kg/pc

Based on its unique horizontal nail fixing method, Color Stone Metal Tile is suitable for all kinds of building roofs, including high-rise buildings. Its good wind resistance has been proven in many projects.





Grouper Tile

Natural thick rock texture, showing the elegant beauty of stone.





Tile Size	1340mm * 420mm
Installed Exposure	1270mm * 370mm
Coverage Area	0.47 m ²
The number of pavement	2.16pc/ m ²
Weight	2.7kg/pc

Based on its unique horizontal nail-fixing method, stone coated metal roofing tile are suitable for various building roofs, including high-rise buildings. Its good wind energy resistance has been proved in many engineering examples.



Lengthened Tile

Customized wave pitch can be adjusted, flexible size save keel, more convenient construction






Tudor Tile

Classical European style, a mix of traditional gothic and renaissance style



Tile Size	1340mm * Design width
Installed Exposure	1270mm * Design width





Bamboo Section Antique Tile

The perfect combination of ancient civilization and modern technology highlights the unique style of ancient architecture



Tile Size	910mm * Design width
Installed Exposure	800mm * Design width



Ridge Tile



Dripping Eave

Imitation Ancient Tile

Classic materials expressing classical cultural style, a perfect combination of ancient civilization and modern technology



Tile Size	730mm * Design width
Installed Exposure	690mm * Design width



Big Retaining Ditch



Middling Ditch



Mitre Ditch



Diagonal ridge to block the ditch



Imitation Ancient Tile

Classic materials expressing classical cultural style, ancient civilization and modern technology perfect combination



Tile Size	900mm * Design width
Installed Exposure	800mm * Design width



Gutter board



Dripping Eave

Antique Integrated Tile

Mainly used in parapet wall, gatehouse, wall and other retro style architectural decoration.



Tile Size	1060mm * 600mm
Installed Exposure	1020mm * 600mm

Antique wall Tile

Antique wall tile is a decorative tile with Chinese ancient rhyme style, inheriting the beauty of China



Tile Size	1060mm * 500mm
Installed Exposure	950mm * 500mm



European Style large wave

The overall retro beauty, strong three-dimensional sense, with rich colors, lasting colors and other advantages



Tile Size	1010mm * Design width
Installed Exposure	940mm * Design width



Dripping Eave





SILSTONE

THE POWER OF JOINING

SILSTONE

Neutral Silicon Sealant

Silstone Silicone is an A Grade quality sealant, ideal for a variety of construction and renovation projects.

www.silstone.net



SILSTONE
THE POWER OF JOINING

SILSTONE

Neutral Silicon Sealant

Silstone Silicone is an A Grade quality sealant, ideal for a variety of construction and renovation projects.



S-660 Neutral Silicon Sealant

Weather Proof

Anti-Fungal

Strong Adhesion

UV & Moisture resistance

Environment Protection

Super Strong




Experience the ultimate protection with Silstone Sealant, engineered for exceptional performance and durability. This A-grade sealant offers weatherproofing, strong adhesion, and resistance to UV rays, moisture, and fungi, ensuring your projects stand the test of time. Environmentally friendly and super strong, Silstone Sealant is your go-to solution for all sealing needs.

www.silstone.net



SILSTONE

THE POWER OF JOINING







HOMMET
Industries Private Limited

HOMMET INDUSTRIES PVT LTD

 **+91 8075 131 679**

 **info@hommet.in**
www.hommet.in

 **Adoor-Kollam Rd, SH37,**
Sasthamnada, Poruvazhy, Kerala 690520

